Directional seated valves

Directly actuated, leakagefree for hydraulic systems For the assembly on connection sub-plates

Valve for sub-plate mounting Valve with individual connection sub-plate Directional valve bank

Section 3 Section 5 D 7302

Flow Q_{max}

Pressure p_{max} 350...500 (700) bar 6...120 l/min

1. **General information**

Directional control valves are generally used for the direct, leakage free control of consumers and as pilot valves for hydraulically actuated valves (depending on the flow pattern). They are designed as spring returned ball seated valves. The valve elements are forced into their respective switching position against the spring force and fluid pressure by various actuation elements via an elbow lever acting on a pin. A strainer insert in the inlet port prevents the entry of coarse contamination.

The fluid ducts end as holes with O-ring seals at the ground, bottom surface of the valve body. Pipes may be connected either via customer furnished connection blocks or sub-plates (for individual valves with sub-plates see sect. 5 or for valve banks see D 7302). These valves do not show any leakage in blocked switching position. Reliable shifting is ensured, as these valves are designed as ball seated valves where there is no seizing or sticking in working position under full pressure. The leverage between actuation and valve element ensures low actuation forces and smooth shifting. To avoid interaction, most of these directional control valves are available with check valve inserts and return pressure stops or orifice inserts to limit the inflow of oil.

Individual valves with sub-plate, enabling direct pipe connection, may be equipped with a by-pass check valve, a pressure limiting valve, or a rectifier circuit by means of check valves.

2. Overview

(For complete type overview, see sect. 8) Individual valve for manifold mounting

e.g. GS 2-1-G 24






Solenoid actuated 2/2-way directional seated valve, size 1, free flow when deenergized

Individual valve with connection sub-plate for direct pipe connection

e.g. GZ 3-2R-3/8-G 24





Solenoid actuated 3/2-way directional seated valve, size 2 with check valve insert in port P

Tapped ports in the connection sub-plate, G 3/8

Actuation modes

For detailed data. see section 4++.

(Max. pressure rating depending on flow pattern and size. see sect. 3.1 table 2)

	Sole	enoid	Pressure Mechanical hydraulic pneumatic roller pin		Manual feeler turn-knob			
Code letter	G	WG	н	Р	к	т	F	D
Picture and symbol		0 0 0 1 0 N	**************************************	# tal	F.1	10 Por	F.7	**************************************



HAWE HYDRAULIK SE STREITFELDSTR. 25 • 81673 MÜNCHEN D 7300

Directional seated valves

3. Individual valves, manifold mounting

For actuation modes H, P, K, T, F, D, see sect. 2 and 4.2 ++

3.1 Valve

Order example:

Solenoid actuation (acc. to sect. 4.1)

G = DC

WG = AC

for pipe connection, see sect. 5)

solenoid voltage (standard) **G 24** = 24 V DC; **WG 230** = 230 V AC

(For individual valves with connection sub-plate

see sect. 4.1

Additional element (see table 3)

Size and main data (see table 2)




Table 2	2: Size, ı	main data										
Codin	g			0		1		2		3		4
Max. f	low approx. Ip	om		6		12		25		65		120
Directi	onal valves (way)	2/2; 3/2	3/3	4/3	2/2; 3/2; 3/3; 4/2	4/3	2/2; 3/2; 3/3	4/3	2/2; 3/2; 3/3	4/3	2/2; 3/2; 3/3
	Solenoid actuation	Type G a. WG	500		350	500 4)	350	500 4)	350	400	350	350
Pres- sure	Pressure	Type H	500		500	700	500	500	500	400	400	
p _{max}	actuation	Type P				700	400	500	400	400	350	
(bar)	Mechanical	Type K				700	400	500	400	400	350	
	actuation	Type T				700	400	500	400			
	Manual	Type F				700	400	500	400	400	350	
	actuation	Type D	500			700	400	500				

 4) For max. pressure during shifting, see sect. 4.1

Tab			elements to influence shifting oper port P or R (can be retrofitted).	erations, Installation illustration Check valve				
1	ding I symbol	Additio	onal element	or orifice pressure installed in stop				
		for size	Туре	Note port P installed in port R				
R		all	Insert check valves type ER acc. to D 7325 e.g. type ER 01 for valves size 0	Not avail. for 3/3- and 4/3-way directional spool valves type21 and22 The check valve prevents an uncontrolled impact or reflow R→P or A→P, e.g. if the inlet pressure at P drops below the consumer pressure at A (during idle position or actuation of another consumer with a lower pressure requirement) when several valves are connected in parallel. A pressure reduction is prevented during such switching operations.				
В	TT H P	all	size 0 = EB 0-0,6 Insert 1 = EB 1-0,8 orifices 2 = EB 2-1,2 type EB 3 = EB 3-2,5 acc. to 4 = EB 4-4,0 D 6465	Not available for 4/3-way valves type22! The orifice serves to limit the flow (see Δp-Q curves) and should be installed if flow rates higher than Q _{max} (table 2) can occur while switching from P→A(R): Hydraulic accumulators on the pump side P or in the case of hydr. servo operation of directional spool valves with control oil supply from the high flow main gallery.				
s		0	7332 000a Return 7332 000b Return pressure stop	Only available for 3/2-way valves types3 orZ3 Check valves may be installed in the reflow ports R of 3/2-way valves size 0and1. With parallel shifting of several valves, they prevent pressure surges from migrating via the common reflow gallery into non-operated, easily mov-				
	A PR	orifice	bination with check valve or in port P is possible G 3-1 BS-G 24, GZ 3-1 RS-G 24	ing and unloaded consumers if there is a connection A \rightarrow R, thus preventing uncontrolled extension movements. Such pressure surges can be caused by shifting operations. These check valves are not intended for blocking off hydraulic oil, which depending on the combination of switching operations of other valves, can arise at port R.				

3.2 Further characteristic data

3.2.1 General and hydraulic parameters

Description 2/2-, 3/2-, 3/3, 4/3- and 4/2-way valve

Design Seated ball valve

Mounting type and leeds connection Size 0 1 2 3 4 corresp. to nom. size 4 6 10 15 20

Installation position Any; Vertically with actuation up (best)

Direction of flow Only in arrow direction acc. to flow pattern in sect. 3.1

The location of ports P (pump), R (return flow), A and B (consumers) are dictated by the internal

design and can't be readily interchanged.

Overlap Negative, i.e. the transition from shifting pos. 0 into a and vice versa is gradual, with 3/2-way valves

all ports may be interconnected during this state. See also sect. 3.1 (table 3) "Additional orifice"!

Operation pressure See sect. 3.1. All ports may be subject to the full oper. pressure, but a pressure drop must be

maintained in flow direction acc. to the flow pattern in sect. 3.1, i.e. $P \ge A(B) \ge R$. With 4/3-way valves connection R must be employed as return flow only. For permissible pressure during switching operations, see sect. 4.1.

Static overload capacity Approx. 2 x p_{max}, applies only to valves in idle position (p_{max} from table 2 sect. 3.1)

Flow rating See sect. 3.1. Pay attention to the area ratio of double acting consumers (differtial cylinders), i.e. the

return might be higher than the inflow.

Pressure fluid Hydraulic oil conforming DIN 51524 part 1 to 3: ISO VG 10 to 68 conforming DIN 51519

Viscosity limits: min. approx. 4, max. approx. 800 mm²/s

Optimal operation: Approx. 10 ... 200 mm²/s

Also suitable for biological degradable pressure fluids types HEPG (Polyalkylenglycol) and HEES

(Synth. Ester) at service temperatures up to approx. +70 °C. For other fluids see sect. 6.2.

Temperature range Ambient: Approx. -40 ... +80 C; Fluid: -25 ... +80 °C, note the viscosity range!

Restriction for version with ex-proof solenoid:

Ambient: -35 ... +40°C; Fluid: max. 70°C

Permissible temperature during start: -40°C (observe start-viscosity!), as long as the service

temperature is at least 20K higher for the following operation.


Biological degradable pressure fluids: Observe manufacturer's specifications. Considering the

compatibility with seal material not over +70 °C.


Attention: Observe the restrictions regarding the perm. duty cycles of the solenoids in sect. 4.1 and

limits for the explosion-proof solenoids in sect. 4.1.2 !

2/2- and 3/2-way valves



3/3-, 4/3- and 4/2-way valves




Curve c: $P \rightarrow A(B)$ Curve d: $A(B) \rightarrow R$

Additional elements


(the figures for $\Delta p P \rightarrow A(R)$ below are to be added !)

Check valve



Δp-Q curves (guideline)
Oil viscosity during tests approx.
60 mm²/s

Orifice




3.3 Dimensions, valve only. For the dimensions of the actuations see sect. 4.1 ++

All dimensions are in mm and are subject to change without notice!

3.3.1 2/2- and 3/2-way valves


Coding .R2-.., .S2-.., .3-.., .Z3-..

Port A is internally blocked at 2/2-way valves, but an O-ring must be installed if the valve is mounted on a sub-plate.




3.3.2 4/2-way valve

Coding .4-.. or .Z4-..



Holes in the manifold and sealing of the ports by O-rings ²)




	Size	Ports	Ød	O-ring NBR 90 Sh
	0	P and R	3.5	6x1.5
		Α	3	3.5x1.2
	1	P and R	4.5	8x1.5
2/2- and	'	Α	4.5	5x1.5
3/2-way valve	2	Р	9	14x2
		A and R	9	10x2.2
	3	Р	12	17.12x2.62
		A and R	12	13.95x2.62
	4	A, P and R	20	KANTSEAL seal ring 6096 5217-00
4/0		Р	4.5	8x1.5
4/2- way valve	1	A, B and R	4.5	5x1.5

- 1) Port B (G1/4) is unplugged, at versions with sub-plate acc. to section 5 or when installed in a valve bank type VB11... acc. to D 7302
- 2) Available as a complete seal kit (see sect. 4.5).


3.3.3 3/3- and 4/3-way valves






	Size				
	0	1	2	3	4
L	75	92	116	144	162
В	32	40	50	70	100
Н	27	35	55	70	101
а	4	5	5.5	8	9
b	24	30	39	54	82
С	23	28	39	55	74
е	11	13	20	24	27
f	16	27	26	26	41
g	M5	M6	M8	M10	M12
h	3.5	9	10	10	16
i	19	20	26	20	25
k	13	15	22	20	25
I	66	82	103	128	144
m	7	8	11	17	18
n	10	10	13	22	26
0	38	45	53	72	82

4/3-way valve Coding .22-..



Attention: Both return ports R have to be connected, as there is no internal connection.

	Size			
	0	1	2	3
L	75	92	116	144
В	32	40	50	70
Н	31	40	59	70
a	4	5	5.5	8
b	24	30	39	54
С	23	28	39	55
е	11	13	17	22
f	27	35	45	55
g	M5	M6	M8	M10
h	4.5	9	10	10
i	19	24	30	38
I	66	82	103	128
m	7	8	11	17
n	11	13	17	23
0	38	45	53	64
	l	I	ı	ı



Holes in the manifold and sealing of the ports by O-rings 1)

	Ports	Size 0	Size 1	Size 2	Size 3
Ød	P, R, A a. B	3.5	4.5	9	12
O-ring	Р	6x1.5	8x1.5	14x2	17.12x2.62
o mig	R, A and B	6x1.5	5x1.5	10x2.2	13.95x2.62

¹) Available as a complete seal kit (see sect. 4.5).

4. Actuation modes

4.1 Solenoid actuation (standard)

The solenoids are built and checked conforming to VDE 0580.

The standard solenoids are designed for the following voltage: 24V DC (type G..) or 230V AC 50 and 60 Hz (type WG..) acc. to sect. 3.1. It is not required to add these voltages to the order coding. Special voltages have to be specified in uncoded text or to be added to the order coding. See order examples in sect. 3.1 and "Special voltage" in sect. 4.1.2.

Valve type acc. to se	ect. 3.1	Size 0		Size 1		Size 2		Size 3	3		Size 4			
		G	WG ¹)	G	WG ¹)	G	WG	G	W	G	G	WG		
Nom. voltage U	U _N	12 V D0	C, 24 V DC,	, 110 V DC,	230 V AC	see also se	ect. 4.1.2							
Nom. current I _N ²) (A	A)	0.67	0.08	0.83	0.1	1.1	0.13	2.1	0.2	26	3.6	0.44		
Nom. power P _N ²) (V	W)	16	16	20	20	26	26	50	50	1	86	86		
Switching time o	n (ms)	40	80	100	100	140	140	175	17	5	150	150		
(guideline) o	off (ms)	40	100	50	125	55	150	65	20	0	100 ⁴)	350 ⁴)		
Switchings per hour	r/h	Approx	. 2000 (G	and WG a	all sizes); ap	oprox. even	ly distribut	ed				-		
Protection mode				60529 (read 60529 for e		oled), roof versior	า							
Isolationsklasse					F						Н			
Cut-off energy (V	Ws)	0.16	0.16	0.24	0.24	0.38	0.38	1.59	1.5	59	3.4	3.4		
		Guidelii	ne for max.	value + ap	prox. 10%	according	to tests wi	th nom. v	oltage a	and 20°0	C .			
Connection scheme of the plugs	Э	1	(5)	2	4 1)	3	4	3	4)	3	4		
Plug conf. EN 175 30	01-803 A		~ MCD 0 3	١							Type WG	<u>.</u>		
Adapters for size 0		_	g MSD 2 ³								Турс Т			
see sect. 4.1.1	uu .,	2 Plu	g MSD 1 3)										
			g conf.	00 4	40D 0 000	3/		Type G			- ''			
		_	175 301-80 apter + Soc	03 A, e.g. N cket A	/15D 3-309	9)	لـ				1-	2+ =		
				3 + MSD 4-	209 P10 ³))		H		ľ	, ,			
			5 Adapter + Socket A 1 2 = D+4											
		MS	MSD 2-MSD 3 WG + MSD 3-309 ³)											
		1 2 PE 1~ 2~ PE												
							1	2	PE		1~	2∼ PE		
		These	connectors	s ³) are par	t of the ord	ler coding a	1 as standard			ectors e	,			
				s ³) are par or LED's se		ler coding a	1 as standard			ectors e	,			
Permissible operation conditions for outdoor		econor The so	my circuit c	or LED's se es are suita	e D 7163.			I. For othe	er conn		e.g. with c	lamp diode		
conditions for outdo		The so	my circuit c lenoid valv us experier	or LED's se es are suita nce).	e D 7163. able for nor	mal outdoo	or use, if the	I. For othe	er conn		e.g. with c	2∼ PE lamp diode,		
Rel. duty cycle	oor use	The so previou	my circuit c lenoid valv us experier	or LED's se es are suita nce).	e D 7163. able for nor olenoid), ho	mal outdoo	or use, if the erve operat	I. For other	er conn ls are i	nstalled	e.g. with c	lamp diode		
Rel. duty cycle Rel. duty cycle durin	oor use	The so	my circuit c lenoid valv us experier	or LED's se es are suita nce).	e D 7163. able for nor olenoid), ho	mal outdoo	or use, if the erve operat	I. For other solenoid ting duty of the triangle of triangle of the triangle of	er conn ds are i cycle!	nstalled res do a	e.g. with c	ndicated by		
Rel. duty cycle	oor use	econor The so previou 100% E	my circuit c lenoid valv us experier	or LED's se es are suita nce).	e D 7163. able for nor olenoid), ho	mal outdoo	or use, if the erve operat	e solenoid	ds are in a cycle!	nstalled res do a il valves	e.g. with c	ndicated by		
Rel. duty cycle Rel. duty cycle durin	oor use	econor The so previou 100% E	my circuit c lenoid valv us experier	or LED's se es are suita nce).	e D 7163. able for nor olenoid), ho	mal outdoo	or use, if the erve operat	e solenoid	er connumber connumber connumber curved ividua stalled ays equ	nstalled res do a il valves in a cab uipped w	vertcall (i	ndicated by tand-alone, e valves are nould be al- s! In case of		
Rel. duty cycle Rel. duty cycle durin	oor use	econor The so previou 100% E 80 - (0) 70 - 0 60 -	my circuit c lenoid valv us experier	or LED's se es are suita nce).	e D 7163. able for nor olenoid), ho	mal outdoo	or use, if the erve operat	e solenoid	er connumber connumber connumber distribution distributio	res do a ll valves in a cab uipped w angeme	vertcall (i vertcall (i apply to s only! If the binet, it sh vith louver nt and an	ndicated by tand-alone, e valves are nould be al- s! In case of nbient tem-		
Rel. duty cycle Rel. duty cycle durin	ng	econor The so previou 100% E 80 - (0) 70 - 0 60 -	my circuit collenoid valvus experier ED (stampe	or LED's se es are suita nce). d on the so	e D 7163. able for nor	mal outdoo	or use, if the erve operat	e solenoid	er conn ds are i cycle! ne curv dividua stalled ays equ ank arra	res do a il valves in a cab uipped w angements	e.g. with control of the control of	ndicated by tand-alone, e valves are nould be al- s! In case of nbient tem-		
Rel. duty cycle Rel. duty cycle durin	oor use	econor The so previou 100% E 80 - (0) 70 - 0 60 -	my circuit collenoid valvus experier ED (stampe	or LED's se es are suita nce). d on the so	e D 7163. able for nor	mal outdoo	or use, if the erve operat	e solenoid ting duty c	er conn Is are i cycle! ne curv dividua stalled ays equ ank arra eratures nould be	nstalled res do a il valves in a cab iipped w angemei s above e design	e.g. with control of the control of	ndicated by tand-alone, e valves are nould be al- s! In case of nbient tem- the layout h a way that		
conditions for outdoor Rel. duty cycle Rel. duty cycle durin operation	ng	econor The so previou 100% E 80 - (0) 70 - 0 60 -	my circuit collenoid valvus experier ED (stampe	or LED's se es are suita nce). d on the so	e D 7163. able for nor	mal outdoo	or use, if the erve operat	e solenoid ting duty c	er conn Is are i cycle! ne curv dividua stalled ays equ ank arra eratures nould be	res do a al valves in a cabaipped wangemers above e design	e.g. with control of the control of	ndicated by tand-alone, e valves are nould be al- s! In case of nbient tem- the layout h a way that		
Rel. duty cycle Rel. duty cycle durir operation	ng	econor The so previou 100% E 80 - (0) 70 - 0 60 -	my circuit collenoid valvus experier ED (stampe	or LED's se es are suita nce). d on the so	e D 7163. able for nor	mal outdoo	or use, if the erve operat	e solenoid ting duty c	er conn Is are i cycle! ne curv dividua stalled ays equ ank arra eratures nould be	nstalled res do a il valves in a cab iipped w angemei s above e design	e.g. with control of the control of	ndicated by tand-alone, e valves are nould be al- s! In case of nbient tem- the layout h a way that		
Rel. duty cycle Rel. duty cycle durir operation	ng	econor The so previou 100% E 80 - (0) 70 - 0 60 -	my circuit collenoid valvus experier ED (stampe	or LED's se es are suita nce).	e D 7163. able for nor	mal outdoo	or use, if the erve operat	e solenoid ting duty c	er conn Is are i cycle! ne curv dividua stalled ays equ ank arra eratures nould be	nstalled res do a il valves in a cab iipped w angemei s above e design	e.g. with control of the control of	ndicated by tand-alone, e valves are nould be al- s! In case of nbient tem- the layout h a way that		
conditions for outdoor Rel. duty cycle Rel. duty cycle durin operation T (Cycle times Rel. duty cycle	ng	econor The so previous 100% E 80 - 70 - 60 - 60 - 40 - 60 - 60 - 60 - 60 - 6	my circuit collenoid valvus experier ED (stampe	or LED's se es are suita nce). d on the so	e D 7163. able for nor	mal outdoo	or use, if the erve operat	e solenoid ting duty c Tr in: we be personal or services and services are services and services are services are services and services are servic	er conn Is are i cycle! ne curv dividua stalled ays equ ank arra eratures nould be	nstalled res do a il valves in a cab iipped w angemei s above e design	e.g. with control of the control of	ndicated by tand-alone, e valves are nould be al- s! In case of nbient tem- the layout h a way that		
Rel. duty cycle Rel. duty cycle durir operation T (Cycle time	ng	Provided Helphanian Ambient temperature (C)	my circuit de lenoid valvus experier ED (stampe	er LED's sees are suitance). d on the so	e D 7163. able for nor blenoid), ho	mal outdoo	erve operat	ting duty of the solution of t	er conn Is are i cycle! ne curv dividua stalled ays equ ank arra eratures nould be	nstalled res do a il valves in a cab iipped w angemei s above e design	e.g. with control of the control of	ndicated by tand-alone, e valves are nould be al- s! In case of nbient tem- the layout h a way that		
Rel. duty cycle durin operation T (Cycle time) Rel. duty cycle	ng	Provided Helphanian Ambient temperature (C)	my circuit de lenoid valvus experier ED (stampe	er LED's sees are suitance). d on the so	e D 7163. able for nor	mal outdoo	erve operat	e solenoid Tring duty of the period of the	er conn ds are i cycle! ne curv dividua stalled ays equ ays equ aratures nould be dijoining ver prol	nstalled res do a il valves in a cab iipped w angeme s above e design g solenoi onged p	e.g. with control of the control of	ndicated by tand-alone, e valves are nould be al- s! In case of nbient tem- the layout h a way that		
conditions for outdoor Rel. duty cycle Rel. duty cycle durin operation T (Cycle times Rel. duty cycle	ng	Provided Helphanian Ambient temperature (C)	my circuit de lenoid valvus experier ED (stampe	er LED's sees are suitance). d on the so	e D 7163. able for nor blenoid), ho	mal outdoo	erve operat	e solenoid Tring duty of the period of the	er conn ds are i cycle! ne curv dividua stalled ays equ ays equ aratures nould be dijoining ver prol	nstalled res do a il valves in a cab iipped w angemei s above e design	e.g. with control of the control of	ndicated by tand-alone, e valves are nould be al- s! In case of nbient tem- the layout h a way that		
Rel. duty cycle durin operation T (Cycle time) Rel. duty cycle	ng Time	econor The so previous 100% E 80 - (C) 60 - (C) 60 - (C) 70 - (C)	my circuit de lenoid valvus experier ED (stampe	er LED's sees are suitance). d on the so	e D 7163. able for nor blenoid), ho	mal outdoo	erve operat	e solenoid Trining duty of the period of th	ds are in cycle! The curvicular dividual stalled ays equants are arould be dijoining over prolection. Continuity Valve	nstalled res do a al valves in a cab uipped w angeme s above e design g solenoi onged p ous ope	e.g. with control vertcall (in apply to some only! If the binet, it should not and an end of the distance of the control of th	tand-alone, e valves are nould be alsi in case of nbient temthe layout h a way that of energized		
conditions for outdon Rel. duty cycle Rel. duty cycle durin operation T (Cycle times Rel. duty cycle $t_r = \frac{t_{ein}}{T} \cdot 100(\%ED)$	ng	econor The so previous 100% E 80 - (0) 100% E 80 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 1	my circuit of lenoid valvus experier ED (stampe	er LED's see es are suitance). d on the so 20 30 ≤ 10% El ≤ 40°C	e D 7163. able for nor blenoid), ho	mal outdoo	erve operat	Trining duty of the period of	er conn Is are i cycle! ne curv dividua stalled ays equ ank arra eratures nould be djoining ver prol	nstalled res do a al valves in a cab uipped w angeme s above e design g solenoi onged p ous ope	e.g. with control vertcall (in apply to some only! If the binet, it should not and an end of the distance of the control of th	ndicated by tand-alone, e valves are nould be al- s! In case of nbient tem- the layout h a way that of energized		
conditions for outdot Rel. duty cycle Rel. duty cycle durin operation $T (Cycle time)$ Rel. duty cycle $t_r = \frac{t_{ein}}{T} \cdot 100(\%ED)$ Increased switchable	ng	econor The so previous 100% E 80 - (0) 100% E 80 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 100 - (0) 1	my circuit of lenoid valvus experier ED (stampe	er LED's see es are suitance). d on the so	e D 7163. able for nor blenoid), ho	mal outdoo	erve operat	e solenoid Trining duty of the period of th	ds are in cycle! The curvicular dividual stalled ays equants are arould be dijoining over prolection. Continuity Valve	nstalled res do a al valves in a cab uipped w angeme s above e design g solenoi onged p ous ope	e.g. with converted (in apply to sonly! If the binet, it should not and an end of the distribution of the converted in such ids are not beriods.	tand-alone, e valves are nould be alst in case of nbient temthe layout h a way that of energized		

- 1) Only with adapter, see sect. 4.1.1.
- ²) The electrical data for solenoids G and WG are only a guideline (max) and may vary depending on manufacturer.
- ³) Co. K + B GmbH, D-84056 Rottenburg a.d.L.; This type of plug must be specified, when placing a separate orders.
- 4) Possibly increased tolerance, above 250 bar.
- 5) Attention: The storage capability of high pressure consumers has to be taken into consideration. Pressure surges during decharging, which might harm internal functional parts of the valve or fatigue fracture of other hydraulic components of the application can be prevented by installing orifices (see sect. 3.1) upstream.

4.1.1 Plugs for valves size 0 and size 1

The standard version comes with a plug (see dimensional drawing and connection scheme)

Order example:

GR 2-1 -A 24

Directional seated valve acc. to section 3.1

GR 2-1 - R 24

Solenoid voltage 24V DC Plug type

Coding	G	WG	Α	N
Note	Central plugs (serie)	Valve with adapter and bridge rectifier (socket) The bridge rectifier is incorporated in the adapter for size 0	Valve with adapter for plugs shape A DIN EN 175301-803 is customer furnished	Valve with adapter and, plug shape A DIN EN 175301-803
Socket Size 0 Size 1	MSD 2 MSD 1	MSD 2-MSD 3WG + MSD 3-309 MSD 1-MSD 3 + MSD 4-209 P10	MSD 2-MSD 3 MSD 1-MSD 3	MSD 2-MSD 3 + MSD 3-309 MSD 1-MSD 3 + MSD 3-309

4.1.2 Solenoid voltage

Examples: GR 2-2 - G 24 ($I_{20} = 0.54$ A) G 3-0R - A 110 ($I_{20} = 0.15$ A) WGZ 4-1 - W 200 ($I_{20} = 0.11$ A)

The indicated nominal power ratings are approximate reference values, which may differ insignificantly depending on the voltage and the manufacturer of the solenoid. The current rating in cold state is $I_{20} = P_N / U_N$ (see examples)

1) Notes for proper selection:

DC:The order specification (solenoid) should be identical with the one of the power supply (DC). If the supply voltage is lower it will reduce the force of the solenoid, if it is higher the solenoid will be heated up unpermissibly (tolerance ± 5-10%).

AC: The order specification should be identical with the one of the power supply (50/60 Hz AC). The voltage of the solenoid is approx. 0.9 U_{AC} -2 V due to the corresponding bridge rectifier. The table identifies the solenoids utilized in such cases (e.g. for 110 V AC 50 Hz; solenoid with U_{N} = 98 V DC)

Attention: It is important to specify the voltage!


Order spe	cification	Size 0	Size 1	Size 2	Size 3	Size 4
DC 1)	AC 1)		['] (Nominal powe	er P _N)	1
(≙ U _N [V])	50/60 Hz	(16 W)	(20 W)	(26 W)	(50 W)	(86 W)
G 12		Х	Х	х	Х	Х
G 12ex			x (23 W)			
G 24	WGWG 24	Х	х	х	х	х
G 24ex			x (23 W)			
G 36	WGWG 42		Х	х		
G 42	WGWG 48	Х	Х		Х	
G 48		Х	Х	х	Х	
G 80		Х	х	х	х	
G 80ex			x (23 W)			
G 98	WGWG 110	Х	х	х	х	х
G 110		Х	х	х	х	
G 110ex			x (23 W)			
G 125		Х	Х		Х	
G 185	WGWG 200	Х	х	x (180V DC)	х	
G 205	WGWG 230	Х	х	Х	Х	Х
G 220		Х	х	Х		

Note:

Only 40 % ED are permissible if the valves are neighboring, it is additionally recommended that neighboring valves are not actuated simultaneously.

Explosion-proof solenoids

Connection scheme of the plugs



Attention:

- Flow pattern 21 and 22 not available with explosion-proof solenoids
- Protect the complete valve against direct sun light

Electrical data for explosion-proof solenoids

Letter of conformity TÜV-A-03 ATEX 0017 X

Duty cycle 100% ED

Protection class IP 67 (IEC 60529)

Nom. voltage U_N 24 V DC Power, hot P_N 23 W

Restrictions for use:

Temperature Ambient: max. +40°C Fluid: max. +70°C

Required external fuse

(conf. DIN IEC 127) $I_N < 1.6$ A-medium


Surface protection Protect against direct sun light see also restriions at "Temperature")


Electrical connection 3x0.5 mm²
Cable length 3 m, Option 10 m
Observe the operation manuals B 03/2004 and B ATEX!

Electrical lay-out and testing conforming EN 50014, VDE 0170/0171 $\,$ T1 and T9.


4.1.3 **Unit dimensions**

All dimensions are in mm and are subject to change without notice!






Size 2 and 3





Size 4



May be installed rotated by 90° 2)

Adapter for plugs DIN (ISO 4400) 4)





- valve is part of a valve bank (see D 7302) 2) Either in upward or downward valve bank (see D 7302)
- 3) This dimension is depending on the manufacturer and may be up to 40 mm more DIN 43650
- 4) The bridge rectifier is incorporated in the adapter with type WG.. size 0 and with size 1 it is part of the plug

Size 1 with explosion-proof solenoids

27

h_{max} a

30

46


May be installed rotated by 90° ²)


 $\mathsf{D}\ \underline{\ \ }\mathsf{H}_{\mathsf{max}}$

50 71.5 26

62 92

Size





Manual emergency opera	ation				
Size	0	1	4	2	3
Max. actuation force (N)	35 80 450			150	250
Cross sectional drawing	Size 0 a	and 1	_		
Note		he actuatior der the rubb	•	Push the emergency actuation pin inward by means of a screw driver or similar, if required	The manual emergency actuation may be put out of function by blocking the tapped hole by means of a screw M 3x5 DIN 92

4.2 Hydraulic and pneumatic actuation

The actuation element is a single acting piston with spring return.

The valve will remain in its working position $\bf a$ as long as the control pressure prevails. It will return automatically in its idle position 0 if the control pressure is relieved.

The piston is sealed and operates without any leakage.

Actuation		Hydraulically (Size 0 3)				Pneumatically (Size 1, 2, 3)		
Control medium			C	Dil		Compress	sed air, filtere	ed and oiled
Coding		Н				P		
		a/f		-	^{) 1}) conforr DIN ISC - (BSPP)	D 228/1	ØD -	G1/4 ¹⁾ T
Size		0	1	2	3	1	2	3
Control pressure (bar)	max	500	700	500	400		15	
	min	16	12	9	9	4	2.5	2.5
Control volume (cm ³)		0.2	0.4	0.7	6.1	1	2.5	7
All dimensions are in more and are	D	32	39	49	60	39	49	60
All dimensions are in mm and are subject to change without notice!	Н	44	36	52	77	36	39	52
	a/f	27	27	32	41			
Temperature (ambient and control medium)			-40 to +	80°C		-20 to + 70°C		

4.3 Mechanical actuation

The actuation element is a pin (tracer) with spring return, which may be used either directly for vertical directions of operation or via a roller lever for lateral directions. The valve is in working position a if the actuation element is forced into the hatched area of the lever path.

Actuation	n mode		Roller	lever (Size 1,	2, 3)	Feeler pin (S	ze 1 and 2)
Code lett	er			K	T		
Switching force range Switch- Start of function			Do not use a	as a stop!	Do not use as a stop!		
Size			1	2	3	1	2
Switching	force range	s (N)	25 to 28	42 to 47	55 to 80	51 to 57	95 to 120
Switch-	Start of function	(H + h)	38.5 ±0.5	46.5 ±0.5	76 ±0.5		
ing path	Function path	h	10.5 ±0.5	15.5 ±0.5	30 ±0.5	4	5
(mm)	Switching position range	s	3±0.5	4 ±0.5	6 ±0.5		
All dimen	sions are in mm and are	D	39	49	60	39	49
subject to	change without notice!	d	25	25	35	18	22
		Н	28	31	46	20.5	25.5
		H1				16.5	20.5
		а	42	41	62.5		
		b	21	21	26		
		С	12	12	15		

4.4 Manual actuation

Feeler lever coding F: The actuation element is a feeler lever which acts on a spring loaded pin. Switching position a is

retained as long as the feeler lever is pressed down within the hatched area.v

Turn knob coding D: This actuation element is with detent. Switching position a or 0 alternate as the knob is turned

by 90°. The direction of rotation is arbitrary.

Actuation mode		Fee	eler lever (size	Turn	Turn knob (size 0, 1, 2)					
Code letter			F		D					
Dimensional drawing		Not to used as a stop!	B		ZS	B	Switching			
Size		1	2	3	0	1	2			
Actuation force in the range	s (N)	25 to 28	42 to 47	55 to 80						
Switching torque	(Ncm)				45	63	98			
Actuation travel (mm)	h _{max}	20.5	23.5	45						
	S	3.5	4	10	3.5	3.5	5			
All dimensions are in mm	D	39	49	60						
and are subject to	Н	37	43	70	38	40	47			
change without notice!	В	34.5	32	56.5	43	43	52			

4.5 Seal kits

These seal kits contain the O-rings listed in sect. 3.3 and additional parts and seals.


For more detailed information, see spare parts lists E 7300-0, E 7300-1, E 7300-2, E 7300-3 and E 7300-4.

Flow pattern	Size	Seal kit for actu G, WG, K, T, F and D	
	0	1 x DS 7300-01	1 x DS 7300-01 1 x DS 7300-03
R2 S2	1	1 x DS 7300-11	1 x DS 7300-11 1 x DS 7300-13
3 Z 3	2	1 x DS 7300-2N	1 x DS 7300-2N 1 x DS 7300-23
4 Z4	3	1 x DS 7300-31	1 x DS 7300-31 1 x DS 7300-34
	4	1 x DS 7300-41	
	0	1 x DS 7300-02	1 x DS 7300-02 2 x DS 7300-03
	1	1 x DS 7300-12	1 x DS 7300-12 2 x DS 7300-13
21	2	1 x DS 7300-21N	1 x DS 7300-21N 2 x DS 7300-23
	3	1 x DS 7300-32	1 x DS 7300-32 2 x DS 7300-34
	4	1 x DS 7300-42	
	0	1 x DS 7300-02	1 x DS 7300-02 2 x DS 7300-03
22	1	1 x DS 7300-12	1 x DS 7300-12 2 x DS 7300-13
	2	1 x DS 7300-22	1 x DS 7300-22 2 x DS 7300-23
	3	1 x DS 7300-33	1 x DS 7300-33 2 x DS 7300-34

5. Individual valve with connection sub-plate

All ports of the 2/2-, 3/2-, 3/3- and 4/3-way directional seated valves acc. to section 3 are designed as holes with O-ring sealing at the ground bottom of the valve body. These valves have to be completed with sub-plates or customer furnished manifolds to enable pipe connection.

5.1 Available versions, main data



Valve coding acc. to sect.	-				•	ure setting in bar e depending on	_				
	Coding	Ports conforming DIN ISO 228/1 ¹) (BSPP)	Avail- able for size	2/2-way valve	Flow pattern overview These symbols have to be completed with the actuation symb 3/2-way 3/3-way 4/2-way 4/3-way valve valve valve valve						
1	-1/4	G 1/4	0 and 1			P 3	. —				
Connection block	-3/8 ²)	G 3/8	1 and 2								
without additional features	-1/2	G 1/2	2 and 3			9 1					
	-3/4	G 3/4	3 and 4		 			 			
	-1	G 1	4		A PR	A PR	PR · A	B A P R			

Suited for connection in series and in parallel, if the perm. pressure stated in section 3.2. "Operation pressure" for P, A, B and R are not exceeded.

(2)


Connection with pressure limiting valve

../..S tool ad-



-1/4 S(R)	G 1/4	0 and 1
-3/8 S(R)	G 3/8	1 and 2
-1/2 S(R)	G 1/2	2

Not available for other sizes!



The connection block with pressure limiting valve is not available for 3/3- and 4/3-way directional valves!

Pressure range	Coding	Valve size	Press. (bar
	-1/4 S(R)	0	(0) 350 (0) 500
		1	(0) 100
	-3/8 S(R)	1 and 2	(0) 200 (0) 400
	-1/2 S(R)	2	(0) 700

The pressure specification in the order coding determines the pressure range of the spring (size 0) and additionally the valve seat dimension for size 1 and 2.

Port R may be used only for unpressurized return flow to ensure proper function of the pressure reducing valve. Parallel connection of additional valves is only permissible with sub-plates acc. to ① but not with sub-plates acc. to ②

(3)

Connection block with bypass check valve

Not available for other sizes!

-1/4 C	G 1/4	0 and 1	
-3/8 C	G 3/8	1 and 2	
-1/2 C	G 1/2	2	\parallel
-3/4 C	G 3/4	3	

This connection block is only available for 2/2-way directional valves!

 p_{max} (bar) and Q_{max} (I/min) are determined by the installed valve.


A by-pass check valve (RK 3 acc. to D 7445) is required to enable flow R → P. Pressure surges (decompression) in flow direction $R \rightarrow P$ should be avoided! For pressure rating of R, see sect. 3.2.

(4)

Connection block with rectifier circuit by means of check valves

-1/4 G	G 1/4	0 and 1
-3/8 G	G 3/8	2
-1/2 G	G 1/2	3
-3/4 G	G 3/4	4

Version with G 1 is not available



This connection block is only available for 2/2-way directional valves!

 \mathbf{p}_{max} (bar) and \mathbf{Q}_{max} (I/min) are determined by the installed valve.


The rectifier circuit by means of check valves enables both flow directions for the 2/2-way valves. Therefore the port codings P and R are not stamped on the sub-plate.

Flow resistance ∆p (bar)


5.2 Δp - Q - curves


Guideline for valve including sub-plate and a fluid viscosity of approx. 60 mm²/s


Flow direction $P \rightarrow R$ sub-plates ①, ② and ③




Flow direction $P \rightarrow R (R \rightarrow P)$ sub-plates $\stackrel{\textstyle (4)}{}$







Flow direction $R \rightarrow P$ sub-plates 3



Example:

A flow of 20 l/min is applied to valve type GR 2-2-1/2C (sub-plate 3)

 $\triangle p_{P \to R} \approx 12 \dots 14$ bar acc. to table ; $\triangle p_{R \to P} \approx 2$ bar acc. to table

5.3 Unit dimensions


All dimensions are in mm and are subject to change without notice!


5.3.1 Connection sub-plates acc. to ① and ③

2/2- and 3/2-way valves


Attention: Port A is alsolete with 2/2-way valves, for all other dimensions see 3/2-way valve.

Size 0 and 1 Type: ..-1/4(C) or ..-3/8(C) e.g. GZ 3-1-1/4C-G 24 Size 2 and 3 Type: ..-3/8(C); ..-1/2(C); ..-3/4(C) e.g. WG 3-3-1/2-G 24 Size 4 Type: ..-3/4 or ..-1 e.g. GS 2-4-1-G 24






					- 1								
Size	Port												
	P, R a. A	L	В	Н	а	a1	a2	b	С	е	f	g	h
0	G 1/4	40	36	25	16	16	18	28	4	24	4	M5, 6 deep	12.5
1	G 1/4	50	45	30	29	21	20	35	5	30	10	M6,	15
	G 3/8	50	45	30	27	23	18	35	5	30	10	10 deep	15
2	G 3/8	56	60	30	33		33	39	5.5	43	6.5	M8,	15
	G 1/2	56	60	30	33		27	39	7.5	43	6.5	10 deep	15
3	G 1/2	70	80	40	43		40	54	18	54	8	M10,	20
	G 3/4	70	80	40	41		40	54	18	54	8	10 deep	20



3/3-way valve


Type: ..21-0-1/4 to ..21-4 - 1

e.g. WG 21-2-3/8-WG 230



4/2-way valve


Type: ..4-1-1/4 ..Z4-1-1/4 e.g. G 4-1-1/4-G 24



4/3-way valve

Type: ..22-0-1/4 to ..22-4 - 1 e.g. G 22-1-1/4-G 24


L1




Size	L	L1	В	Н	H1	а	a1	a2	аз	a4	a 5	a6	b	С	C1	е	e1	f	g	h	h1	i	i1
0	75	75	40	25	25	50	20	30	56.5	15	25	18.5	24	8.5	9	66	66	4.5	M5, 6 deep	12.5	14	12.5	7.5
1	92	92	50	30	30	62	22	22	71	21	30	21	30	7	7	82	82	5	M6, 10 deep	15	15	8	8
2	116	116	60	30	30	81	31	31	88	24	38	28	39	12.5	12.5	103	103	6.5	M8, 10 deep	15	15	3	3
3	144	144	80	40	40	92	46	52	110	29	43	34	54	18	18	128	128	8	M10, 12 deep	20	20	10	10
4	162	182	100	63	63	106	40	56	141	31	60	41	82	9	9	144	164	9	M12, 12 deep	38	38	0	0

5.3.2 Connection sub-plates acc. to ②

Size 0 Type: ..-1/4 S(SR)




Size 1 Type: ..-1/4 S(SR); ..-3/8 S(SR)




Size 2 Type: ..-3/8 S(SR); ..-1/2 S(SR)

50

max.33




justable (..S)



Size	Port			Ī	ı
	P, R and A	а	a1	a2	b
0	G1/4			-	
1	G 1/4	21	20	29	
	G 3/8	23	18	27	
2	G 3/8	30			15.5
	G 1/2	37			13.5

5.3.3 Connection sub-plates acc. to 4



Size	1									
L	В	Н	а	b	С	е	f	g	h	
0	44	50	30	24	30	10	10	9	M5, 5 deep	14
1	54	50	35	34	25	7	10	9	M6, 10 deep	12
2	60	60	40	35	30	8	12.5	9	M8, 10 deep	14
3	80	80	50	46	40	10	17	10,5	M10, 10 deep	18
4	100	112	63	55	50	15	22.5	4	M12, 15 deep	21

6. Appendix


6.1 Protection of directional seated valves against coarse contamination

Directional seated valves are rather unsensitive to ultra fine contamination always evident in hydraulic fluids. Nevertheless directional seated valves are fitted with screen filter elements with 0.25 mm mesh width to prevent sudden disturbance caused by coarse contaminations that may occasionally be carried along in the oil (such as torn off particles of tubing, packing, scale swarf,) and which otherwise might get trapped at the valve seat gap.

The sub-plates for individual valves (sect. 5) are fitted with fine screen filter discs HFC 1/4F 1 or HFC 3/8 (acc. to D 7235) as standard at A and B with size 0, additionally in P with size 1. Valves size 2, 3 and 4 with port size G 3/8, G 1/2 and G 3/4 may be retrofitted-. These screen filters are not available for G 1.

These screen filter elements must not be understood as a replacement for usual hydraulic filters. In practice, however, they provide sufficient protection against malfunctions in small hydraulic systems. If such malfunctions should occur, the filter elements should be checked first.

For the sake of simplicity, these filter elements are not explicitly shown in the diagrams.



Symbols

Individual valves acc. to section 3:

Connection sub-plates acc. to section 5:


2/2-way valve


3/2-way valve

2/2-way valve 3/2-way valve 3/3-way valve

4/2- and 4/3-way

valve





6.2 Versions for special fluids

• HFA (water / glycol solution, conforming VDMA 24317)

The functionally essential parts are of stainless steel or tuffrided to prevent corrosion (valve balls, valve seat, actuation pin etc.). The valve body (size 3), external parts e.g. tapped plugs etc. are zinc galvanized.

There are only 2/2-, 3/2- and 4/2-way directional seated valves available with flow pattern R2, S2, 3, a. Z3, 4, Z4 (see table 1 in sect. 3.1)

Type coding: G 3-1-G 24 **HFA**

Size	Pressure p _{max} (bar)	Flow Q _{per} approx. w back pres	ith reflow	Note:				
0		3	4					
1	1 2 3	5	6	A slight compensating force ated by installing the ta				
2		14	18	location within the syster				
3		36	45					

A slight compensating force in the return pipe may be created by installing the tank at the highest possible

Throttles (cascade type or a coiled, small diameter pipe) should be installed at the pressure inlet to limit the flow down to permissible values for the applied pressure. This is to prevent cavitation and applies to all valves with return connection (3/2- und 4/2-way valves and 2/2-way valve as by-pass to the tank) or valves in circuits connected to an accumulator.

Brake fluid based on glycol
 Versions equipped with EPDM (Ethylenpropylendien-rubber) seals suited for glycol based brake fluid or other special fluids.
 Type coding: GR 2-2-G 24 AT

Versions equipped with FKM (flour rubber, Viton) seals suited for some HFD type fluids (fire inhibiting, conforming VDMA 24317)
 Type coding: WGS 2-0-WG 230 PYD

7. Mass (weight) approx. in kg

Basic valve complete with actuation acc. to section 3 and 4

	Actuation Type 2/2- and 3/2-way valve mode size					3/3-way valve size				4/3-way valve size				4/2-way valve size			
			0	1	2	3	4	0	1	2	3	4	0	1	2	3	1
Electrical		G	0.4	0.65	1.2	3.1	7.2	0.8	1.4	2.9	5.9	16.3	0.9	1.6	3.0	6.0	1.9
		WG	0.4	0.7	1.2	3.1	7.2	0.8	1.5	2.9	5.9	16.3	0.9	1.7	3.1	6.0	2.0
Hydraulic		Н	0.4	0.5	1.1	2.8		0.8	1.1	2.7	5.2		0.8	1.3	2.8	5.3	1,8
Pneumatic		P	0.4	0.4	0.9	2.2			0.9	2.3	4.1			1.1	5.4	4.2	1.7
Mecha- nical	Act. roll	K		0.4	0.8	2.0			0.9	2.1	3.7			1.1	5.2	3.8	1.7
	Act. pin	T		0.4	0.8				0.8	2.1				1.0	5.2		1.6
Man- ual	Lever	F		0.4	0.8	2.0			0.9	2.1	3.7			1.1	5.2	3.8	1.7
	Turn knob	D	0.4	0.4	0.9			0.8	0.9	2.2			0.8	1.1	5.3		1.7

Connection sub-plates acc. to section 5

Connection block only, for weight of the directional seated valves see above!

	Size								
	0	1	2	3	4				
Simple connection block ①	0.2	0.5	1.0	1.2	3.8				
Connection block ② with pressure limiting valve	0.4	1.2	1.6	-					
Connection block ③ with by-pass check valve	0.2	0.5	1.0						
Connection block ④ with rectifying circuit by means of check valves	0.5	0.7	1.0	2.4	4.7				

8. Type overview

